

TITL COLLABORATIVE STUDY #25

SAMPLE C5

MARLBORO KS SP

SMOKING RUN	TPM (mg/cigt)	PUFF COUNT	WATER (mg/cigt)	NICOTINE (mg/cigt)	TAR (mg/cigt)	CO (mg/cigt)
1	20.5	8.9	3.29	1.15	16.0	14.0
	18.4	8.6	2.26	1.11	15.0	13.2
2	18.9	8.5	2.41	1.12	15.4	14.1
	19.4	9.0	2.61	1.16	15.6	14.0
3	19.0	8.6	2.43	1.14	15.4	13.3
	21.1	8.8	3.70	1.21	16.2	14.6
4	18.6	8.6	2.18	1.12	15.2	14.2
	18.6	8.6	2.34	1.10	15.1	14.0
5	19.4	9.0	2.98	1.17	15.2	14.0
	18.8	8.9	2.91	1.16	14.8	13.4
6	18.0	8.7	2.32	1.11	14.5	13.5
	18.2	8.9	2.26	1.14	14.8	13.2
7	18.4	8.6	2.38	1.13	14.9	13.2
	19.1	8.7	2.71	1.17	15.2	13.7
8	19.3	8.8	2.76	1.18	15.4	13.7
	20.1	8.9	3.38	1.15	15.6	13.4
9	20.4	8.8	3.30	1.14	16.0	14.9
	19.0	8.8	2.86	1.16	15.0	12.6
10	19.0	8.6	2.42	1.15	15.4	13.8
	22.0	9.1	4.03	1.22	16.7	14.8
	TPM (mg/cigt)	PUFF COUNT	WATER (mg/cigt)	NICOTINE (mg/cigt)	TAR (mg/cigt)	CO (mg/cigt)
Average.	19.3	8.8	2.78	1.14	15.4	13.8
Stand. Dev.	1.02	0.16	0.526	0.032	0.53	0.58
Count	20	20	20	20	20	20

PM3000880752